

CS 10:


Problem solving via Object Oriented
Programming

Hashing

Main goals

- Implement hashing for improving the efficiency of maps and sets


Agenda

- 
1. Hashing
 2. Computing Hash functions
 3. Implementing Maps/Sets with hashing
 4. Handling collisions
 1. Chaining
 2. Open Addressing


Example of hashing

Hashing phone numbers to find orders

Goal: given phone number, quickly find orders



Hashing's big idea: map a Key to an array index, then access is fast



Agenda

1. Hashing



2. Computing Hash functions

3. Implementing Maps/Sets with hashing

4. Handling collisions

1. Chaining


2. Open Addressing

Good hash functions map keys to indexes in table with three desirable properties

Desirable properties of a hash function

1. Quick and consistent computation
2. Even spread of keys over table (simple uniform hashing)
3. Small changes in the key should result in different hash value

Hashing is often done in two steps: hash then compress



- Get an integer representation of Key
- Integer could be in range $-\infty$ to $+\infty$

Constrain integer to table index $[0..m)$

First step in hashing is to get an integer representation of the key

Goal: given key compute an index into hash table array

Some Java objects can be directly cast to integers


- byte
- short
- int
- char

```
char a = 'a';  
int b = (int)a;
```


b = 97

Some items too long cast to integers

- double (64 bits)
- long (64 bits)
- Too long to make 32 bit integers



XOR each half

Complex objects such as Strings can also be hashed to a single integer

Hashing complex objects

- Consider String x of length n where $x = x_0x_1\dots x_{n-2}x_{n-1}$
- Pick prime number a
- Cast each character in x to an integer
- Calculate polynomial hashcode as $x_0a^{n-1} + x_1a^{n-2} + \dots + x_{n-2}a + x_{n-1}$
- Use Horner's rule to efficiently compute hash code

```
public int hashCode() {  
    final int a=37;  
    int sum = x[0]; //first item in array  
    for (int j=1;j<n;j++) {  
        sum = a*sum + x[j]; //array element j  
    }  
    return sum;  
}
```

Good news: Java provides a *hashCode()* method to compute hashes for us!

hashCode()

Java does the hashing for us for Strings and autoboxed types with *hashCode()* method

```
Character a = 'a';  
a.hashCode() returns 97
```

```
String b = "Hello";  
b.hashCode() returns 69609650
```

Bad news: We need to override *hashCode()* and *equals()* for our own Objects

- By default Java uses memory address of objects as a *hashCode*
- But we typically want to hash based on properties of object

Bad news: We need to override *hashCode()* and *equals()* for our own Objects

@Override

```
public boolean equals(Object otherPoint) {  
    PointHash p = (PointHash)otherPoint; //cast as PointHash  
    if (x == p.x && y == p.y && r == p.r)  
        return true;  
    return false;  
}
```

@Override

```
public int hashCode() {  
    final int a=37;  
    int sum = a * a * x;  
    sum += a * y;  
    sum += r;  
    return sum;  
}
```

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: "+ b);  
}
```

Casting 'a' to int is: 97

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: "+ b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Point with overridden equals and hashCode functions  
    PointHash b1 = new PointHash(5, 5, 5);  
    PointHash b2 = new PointHash(0, 0, 5); //create new HashPoint  
    System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);  
    System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);  
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

Java `hashCode()` example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Point with overridden equals and hashCode functions  
    PointHash b1 = new PointHash(5, 5, 5);  
    PointHash b2 = new PointHash(0, 0, 5); //create new HashPoint  
    System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);  
    System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);  
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

```
@Override  
public int hashCode() {  
    final int a=37;  
    int sum = a * a * x;  
    sum += a * y;  
    sum += r;  
    return sum;  
}
```

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Blob with overridden equals  
    PointHash b1 = new PointHash(5,5, 5);  
    PointHash b2 = new PointHash(0, 0, 5);  
    System.out.println("b1 is at (x,y,r): " + b1);  
    System.out.println("b2 is at (x,y,r): " + b2);  
    System.out.println("hashCode b1: " + b1.hashCode());  
    System.out.println("b1 is equal to b2: " + b1.equals(b2));  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

b1 is equal to b2: false

@Override

```
public boolean equals(Object otherPoint) {  
    PointHash p = (PointHash)otherPoint;  
    if (x == p.x && y == p.y && r == p.r)  
        return true;  
    return false;  
}
```

Java `hashCode()` example

```
public static void main(String[] args) {
    char a = 'a';
    int b = (int)a;
    System.out.println("Casting 'a' to int is: " + b);
    Character z = 'a';
    System.out.println("hashCode for 'a' is: " + z.hashCode());
    String y = "Hello";
    System.out.println("hashCode for 'hello' is: " + y.hashCode());
    System.out.println();

    //create new Blob with overridden equals and hashCode functions
    PointHash b1 = new PointHash(5,5, 5);
    PointHash b2 = new PointHash(0, 0, 5); //create new HashBlob
    System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);
    System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());
    System.out.println("b1 is equal to b2: " + b1.equals(b2));
    b2.x = 5; b2.y = 5; b2.r = 5; //set b2 to same location as b1
    System.out.println("after update b1 equals b2: " + b1.equals(b2));
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5
b1 is equal to b2: false
after update b1 equals b2: true
hashCode b1: 7035 b2:7035

Hashing is often done in two steps: hash then compress




1. Hash

2. Compress

- Get an integer representation of Key
- Integer could be in range $-\infty$ to $+\infty$

Constrain integer to table index $[0..m)$


May have to compress hash value to table index [0..m)



Compressing

- $\text{hashCode}()$ value may be larger than the table (or negative!)
- Need to constrain value to one of the table slots [0..m)
- “Division method” is simple:
$$h(\text{key}) = \text{key.hashCode()} \% m$$
- Works well if m is prime
- Book gives a more advanced version called Multiply-Add-And-Divide (MAD)
- Java takes care of this for us 😊
- Eventually will encounter collisions where multiple keys map to the same slot ☹️

Agenda

1. Hashing
2. Computing Hash functions
-  3. Implementing Maps/Sets with hashing
4. Handling collisions
 1. Chaining
 2. Open Addressing

Map methods can be easily implemented with hashing

put(key, value)

- Hash key to get table index
 - Get $i = \text{key.hashCode}()$
 - Compress i to $0..m-1$
- Store key/value

get(key)

- Hash key to get table index
 - Get $i = \text{key.hashCode}()$
 - Compress i to $0..m-1$
- Return stored value

remove(key)

- Hash key to get table index
 - Get $i = \text{key.hashCode}()$
 - Compress i to $0..m-1$
- Remove stored key/value

Open questions:

- What if multiple items hash to the same index?
- What if table fills up?



$m = 13$

Agenda

1. Hashing
2. Computing Hash functions
3. Implementing Maps/Sets with hashing
- ➔ 4. Handling collisions
 1. Chaining
 2. Open Addressing

Collisions happen when multiple keys map to the same table index

Integer keys

Given table size $m = 13$


`put(key,value)`

- Hash & constrain key
- Store value at index

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- `put(6,v1)`
- `put(8,v2)`
- `put(16,v3)`
- `put(19,v4)`



$m = 13$

Collisions happen when multiple keys map to the same table index

Integer keys

Given table size $m = 13$


`put(key,value)`

- Hash & constrain key
- Store value at index

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- $\text{put}(6, v_1) = 6 \% 13 = 6$
- $\text{put}(8, v_2) = 8 \% 13 = 8$
- $\text{put}(16, v_3) = 16 \% 13 = 3$
- **$\text{put}(19, v_4) = 19 \% 13 = 6$**



Collision!

6 and 19 mapped to the same index

$h(6) = h(19)$


$m = 13$

Agenda

1. Hashing
2. Computing Hash functions
3. Implementing Maps/Sets with hashing
 1. Handling collisions
 - ➔ 1. Chaining
 - 2. Open Addressing

Chaining handles collisions by creating a linked list for each table entry


Chaining



- Create a table pointing to linked list of items that hash to the same index (similar to last class word positions)
- Slot i holds all keys k for which $h(k) = i$
- Splice in new elements at head for $O(1)$ performance
- NOTE: Values associated with Keys are not shown, here just showing Keys

Load factor measures number of items in the list that must be searched on average


Chaining



- Assume table with m slots and n keys are stored in it
- On average, we expect n/m elements per collision list
- This is called the **load factor** ($\lambda = n/m$)
- Expected search time is $\Theta(1 + \lambda)$, assuming **simple uniform hashing** (each possible key equally likely to hash into a particular slot), worst case $\Theta(n)$ if bad hash function

If the load factor gets too high, then we should increase the table size

Chaining



- If n (# elements) becomes larger than m (table size), then collisions are inevitable and search time goes up
- Java increases table size by 2X and *rehashes* into new table when $\lambda > 0.75$ to combat this problem
- Problem: memory fragmentation with link lists spread out all over, might not be good for embedded systems

Agenda

1. Hashing
2. Computing Hash functions
3. Implementing Maps/Sets with hashing
 1. Handling collisions
 1. Chaining
 2. Open Addressing



Open addressing is different solution, everything is stored in the table itself

Open addressing using linear probing

- Insert item at hashed index (no linked list)
- For key k compute $h(k)=i$, insert at index i
- If collision, a simple solution is called ***linear probing***
 - Try inserting at $i+1$
 - If slot $i+1$ full, try $i+2...$ until find empty slot
 - Wrap around to slot 0 if hit end of table at $m-1$
 - If $\lambda < 1$ will find empty slot
 - If $\lambda \approx 1$, increase table size ($m*2$) and rehash
- Search analogous to insertion, compute key and probe until find item or empty slot (key not in table)

Linear probing is one way of handling collisions under open addressing


Integer keys

Given table size $m = 13$

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- $\text{put}(6, v_1) = 6 \% 13 = 6$
- $\text{put}(8, v_2) = 8 \% 13 = 8$
- $\text{put}(16, v_3) = 16 \% 13 = 3$



Linear probing is one method of open addressing


Integer keys

Given table size $m = 13$

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- $\text{put}(6, v_1) = 6 \% 13 = 6$
- $\text{put}(8, v_2) = 8 \% 13 = 8$
- $\text{put}(16, v_3) = 16 \% 13 = 3$
- **$\text{put}(19, v_4) = 19 \% 13 = 6$**



Linear probing is one method of open addressing


Integer keys

Given table size $m = 13$

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- $\text{put}(6, v_1) = 6 \% 13 = 6$
- $\text{put}(8, v_2) = 8 \% 13 = 8$
- $\text{put}(16, v_3) = 16 \% 13 = 3$
- **$\text{put}(19, v_4) = 19 \% 13 = 6$**



Insert at $i+1 = 7$

To find items later,
hash to table index,
then probe until find
item or hit empty
slot

Deleting items is tricky, need to mark deleted spot as available but not empty

Problems deleting items under linear probing

- Insert k_1 , k_2 , and k_3 where $h(k_1)=h(k_2)=h(k_3)$
- All three keys hash to the same slot in this example
- k_1 in slot i , k_2 in slot $i+1$, k_3 in slot $i+2$
- Remove k_2 , creates hole at $i+1$
- Search for k_3
 - Hash k_3 to i , slot i holds $k_1 \neq k_3$, advance to slot $i+1$
 - Find hole at $i+1$, assume k_3 not in hash table
- Can mark deleted spaces as available for insertion, and search skips over marked spaces
- This can be a problem if many deletes create many marked slots, search approaches linear time

Clustering of keys can build up and reduce performance

Clustering problem

- Long runs of occupied slots (clusters) can build up increasing search and insert time
- Clusters happen because empty slot preceded by t full slots gets filled with probability $(t+1)/m$, instead of $1/m$ (e.g., t keys can now fill open slot instead of just 1 key)
- Clusters can bump into each other exacerbating the problem

Clustering of keys can build up and reduce performance


Integer keys

Given table size $m = 13$

$\text{index} = \text{key}.\text{hashCode}() \% m$

Example

- $\text{put}(6, v_1) = 6 \% 13 = 6$
- $\text{put}(8, v_2) = 8 \% 13 = 8$
- $\text{put}(16, v_3) = 16 \% 13 = 3$
- $\text{put}(19, v_4) = 19 \% 13 = 6$



Double hashing can help with the clustering problem

Double hashing

- **Big idea: instead of stepping by 1 at each collision like linear probing, step by a different amount where the step size depends on the key**
- Use two hash functions h_1 and h_2 to make a third h'
- $h'(k,p)=(h_1(k) + ph_2(k)) \bmod m$, where p number of probes
- First probe $h_1(k)$, $p=0$, then p incremented by 1 on each collision until space is found
- Result is a step by $h_2(k)$ on each collision (then mod m to stay inside table size), instead of 1
- Need to design hashes so that if $h_1(k_1)=h_1(k_2)$, then ***unlikely*** $h_2(k_1)=h_2(k_2)$

Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$



$m = 13$

Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$
8	0	8	9	$(8+0*9)\%13 = 8$



$m = 13$

Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$
8	0	8	9	$(8+0*9)\%13 = 8$
16	0	3	5	$(3+0*5)\%13 = 3$



$m = 13$

Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$
8	0	8	9	$(8+0*9)\%13 = 8$
16	0	3	5	$(3+0*5)\%13 = 3$
19	0	6	8	$(6+0*8)\%13 = 6$



Collision!

$m = 13$

Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$
8	0	8	9	$(8+0*9)\%13 = 8$
16	0	3	5	$(3+0*5)\%13 = 3$
19	0	6	8	$(6+0*8)\%13 = 6$
19	1	6	8	$(6+1*8)\%13 = 1$



Double hashing can help with the clustering problem

Integer keys

Given table size $m = 13$

Compute

$$h_1(\text{key}) = (\text{key} \% m)$$


$$h_2(\text{key}) = 1 + (\text{key} \% (m-1))$$

$$h'(k,p) = (h_1(k) + ph_2(k)) \% m$$

h_1 same as before
 h_2 new hash function
 p = probe number
(initially 0)

Example

Key	p	h_1	h_2	h'
6	0	6	7	$(6+0*7)\%13 = 6$
8	0	8	9	$(8+0*9)\%13 = 8$
15	0	2	4	$(2+0*4)\%13 = 2$
19	0	6	8	$(6+0*8)\%13 = 6$
19	1	6	8	$(6+1*8)\%13 = 1$



Run time degrades as λ gets large, so keep λ small by growing hash table

Expected insert and search time

- Average number of probes is approximately $1/(1-\lambda)$
- As $\lambda \rightarrow 1$, expected number of probes becomes large, when λ small, number of probes approaches 1
- If table 90% full, then expect about 10 probes for unsuccessful search
- Successful search generally a little faster, about 2.5 probes (math on course web page and in book)
- Must grow table and rehash when copying to new table to keep the table sparsely populated or performance suffers

Sparsely populated table trades memory for speed

Assuming load factor λ is small and hashing spreads keys, core operations are $O(1)$

Operation	Expected run time	Notes
$hash(k)$	$O(1)$	<ul style="list-style-type: none"> Math operations on key k to hash and compress, outputs $0 \dots m-1$ Constant time, does not depend on number of items in Set or Map
$find(k)$	$O(1)$	<ul style="list-style-type: none"> Once have index of table due to hash: <ul style="list-style-type: none"> Chaining: traverse linked list $O(\lambda) = O(1)$ Probing: probe until find $O(1/(1-\lambda)) = O(1)$
$get(k)$	$O(1+1) = O(1)$	<ul style="list-style-type: none"> <i>Hash + find</i>: chaining = $O(1+\lambda) = O(1)$, probing = $O(1+(1/(1-\lambda))) = O(1)$
$put(k,v)$	$O(1)$ <u>$+O(1)$</u> $O(1)$	<ul style="list-style-type: none"> <i>Hash + find</i> = $O(1)$ Plus update or add element: <ul style="list-style-type: none"> Chaining: update value or add at head $O(1)$ Probing: store value in array $O(1)$
$remove(k)$	$O(1)$ <u>$+O(1)$</u> $O(1)$	<ul style="list-style-type: none"> <i>Hash + find</i> = $O(1)$ Plus remove element: <ul style="list-style-type: none"> Chaining: update one pointer $O(1)$ Probing: mark space empty $O(1)$

Assuming a small load factor and uniform hashing, the core operations of HashSets and HashMaps are constant time!

Additional Resources

HASHING BENEFITS

Java provides us faster Sets and Maps using hashing instead of Trees


- Sets hold unique objects, Maps hold Key/Value pairs
- Map Keys are unique, but Values may be duplicated
- As we saw last class, using a Tree is a natural fit for implementing Sets and Maps
- Performance with a Tree is generally better than a List
- We can do better than Tree performance by using today's topic of discussion – hashing
- Java provides the HashSet and HashMap out-of-the-box that do a lot of the hard work for us

OLD SEARS CATALOG EXAMPLE OF HASHING

The old Sears catalog orders illustrate how hashing works


Sears store implementation of hash table

- Used to have 100 slots behind order desk, 0...99
- Shipments arrive, details of where item stored in warehouse put in slot by last two digits of customer phone number (e.g., 03)
- Customer arrives, gives last two digits of phone
- Clerk finds slot with that two-digit number
- Clerk searches contents of that slot only
- Could be multiple orders, but can find the order quickly because only a few orders in slot
- Splits set of (possibly) hundreds or thousands of orders into 100 slots of a few items each
- Trick: find a hash function that spreads customers evenly
- Last two digits work, why not first two?



HASHING IDEA

Hashing's big idea: map a Key to an array index, then access is fast



Map hash table implementation

- Begin with array of fixed size m (called a hash table)
- Each array index holds item we want to find (e.g., warehouse location of customer's order)
- Use hash function h on Key to give index into hash table
- **$h(\text{Key}) = \text{table index } i = 0..m-1$**
- Get item from hash table at index given by hash function
- Fast to *get/set/add/remove* items
- What about a HashSet?
- Use object itself as Key
- How to hash Key or object?

PointHash

ANNOTATED SLIDES

Bad news: We need to override *hashCode()* and *equals()* for our own Objects

```
@Override
public boolean equals(Object otherPoint) {
    PointHash p = (PointHash)otherPoint; //cast as PointHash
    if (x == p.x && y == p.y && r == p.r)
        return true;
    return false;
}
```

```
@Override
public int hashCode() {
    final int a=37;
    int sum = a * a * x;
    sum += a * y;
    sum += r;
    return sum;
}
```

Here we consider two Points *equal* if they have the same *x*, *y* and *r* values
equals() IS THE RIGHT WAY TO COMPARE OBJECT EQUALITY (not ==)

Override *hashCode()* to provide the same hash if two Points are *equal*

If don't override *hashCode()* then even though two objects are considered equal, Java will look in the wrong slot

HashTest

ANNOTATED SLIDES

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: "+ b);  
}
```

Casting 'a' to int is: 97

Some types can be directly cast to an integer



Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: "+ b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97




Java computes hash for autoboxed types with *hashCode()*

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

***hashCode()* also works
for more complex built-
in types**



Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Point with overridden equals and hashCode functions  
    PointHash b1 = new PointHash(5, 5, 5);  
    PointHash b2 = new PointHash(0, 0, 5); //create new HashPoint  
    System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);  
    System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);  
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5


For our own objects, we can provide our own *hashCode()* otherwise we get the memory location by default

Java `hashCode()` example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
}
```

//create new Point with overridden equals and hashCode functions

```
PointHash b1 = new PointHash(5, 5, 5);  
PointHash b2 = new PointHash(0, 0, 5); //create new HashPoint  
System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);  
System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);  
System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

```
@Override  
public int hashCode() {  
    final int a=37;  
    int sum = a * a * x;  
    sum += a * y;  
    sum += r;  
    return sum;  
}
```

For our own objects, we can provide our own `hashCode()` otherwise we get the memory location by default

Java *hashCode()* example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Blob with overridden equals  
    PointHash b1 = new PointHash(5,5, 5);  
    PointHash b2 = new PointHash(0, 0, 5);  
    System.out.println("b1 is at (x,y,r): " + b1);  
    System.out.println("b2 is at (x,y,r): " + b2);  
    System.out.println("hashCode b1: " + b1.hashCode());  
    System.out.println("b1 is equal to b2: " + b1.equals(b2));  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

b1 is equal to b2: false

@Override

```
public boolean equals(Object otherPoint) {  
    PointHash p = (PointHash)otherPoint;  
    if (x == p.x && y == p.y && r == p.r)  
        return true;  
    return false;  
}
```

Override *equals()* to test if objects are equivalent
Otherwise *equals()* checks if same memory location

Java `hashCode()` example

```
public static void main(String[] args) {  
    char a = 'a';  
    int b = (int)a;  
    System.out.println("Casting 'a' to int is: " + b);  
    Character z = 'a';  
    System.out.println("hashCode for 'a' is: " + z.hashCode());  
    String y = "Hello";  
    System.out.println("hashCode for 'hello' is: " + y.hashCode());  
    System.out.println();  
  
    //create new Blob with overridden equals  
    PointHash b1 = new PointHash(5,5, 5);  
    PointHash b2 = new PointHash(0, 0, 5);  
    System.out.println("b1 is at (x,y,r): " + b1);  
    System.out.println("b2 is at (x,y,r): " + b2);  
    System.out.println("hashCode b1: " + b1.hashCode());  
    System.out.println("b1 is equal to b2: " + b1.equals(b2));  
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5

b1 is equal to b2: false

```
@Override  
public boolean equals(Object otherPoint) {  
    PointHash p = (PointHash)otherPoint;  
    if (x == p.x && y == p.y && r == p.r)  
        return true;  
    return false;  
}
```

Override `equals()` to test if objects are equivalent
Otherwise `equals()` checks if same memory location

This is the right way to compare if two objects are equivalent (not `b1 == b2`) ⁶⁵

Java `hashCode()` example

```
public static void main(String[] args) {
    char a = 'a';
    int b = (int)a;
    System.out.println("Casting 'a' to int is: " + b);
    Character z = 'a';
    System.out.println("hashCode for 'a' is: " + z.hashCode());
    String y = "Hello";
    System.out.println("hashCode for 'hello' is: " + y.hashCode());
    System.out.println();

    //create new Blob with overridden equals and hashCode functions
    PointHash b1 = new PointHash(5,5, 5);
    PointHash b2 = new PointHash(0, 0, 5); //create new HashBlob
    System.out.println("b1 is at (x,y,r): " + b1.x + ", " + b1.y + ", " + b1.r);
    System.out.println("b2 is at (x,y,r): " + b2.x + ", " + b2.y + ", " + b2.r);
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());
    System.out.println("b1 is equal to b2: " + b1.equals(b2));
    b2.x = 5; b2.y = 5; b2.r = 5; //set b2 to same location as b1
    System.out.println("after update b1 equals b2: " + b1.equals(b2));
    System.out.println("hashCode b1: " + b1.hashCode() + " b2:" + b2.hashCode());
}
```

Casting 'a' to int is: 97
hashCode for 'a' is: 97
hashCode for 'hello' is: 69609650

b1 is at (x,y,r): 5, 5, 5
b2 is at (x,y,r): 0, 0, 5
hashCode b1: 7035 b2:5
b1 is equal to b2: false
after update b1 equals b2: true
hashCode b1: 7035 b2:7035

**After updating x,y, and r
two Blobs are now equal
hashCode() returns same
value for equivalent
objects
HashMap and HashSet will
now put equivalent objects
in the same slot**